

Statewide Quality Advisory Committee

Other Measures Received Outside of Formal Nomination Process

June 26, 2017

#	Measure Name	NQF	Steward	Submitter
1	Schwartz Compassionate Care Scale			Beth Lown Schwartz Center
2	Patients with advanced cancer assessed for pain at outpatient visits	1628	RAND	Beth Lown Schwartz Center
3	Patients admitted to ICU who have care preferences documented	1626	RAND	Beth Lown Schwartz Center
4	Comfortable dying: Pain brought to a comfortable level within 48 hours of initial assessment	0209	National Hospice and Palliative Care Org.	Beth Lown Schwartz Center
5	Hospitalized patients who die an expected death with an ICD that has been deactivated	1625	RAND	Beth Lown Schwartz Center
6	Family evaluation of hospice care	0208	National Hospice and Palliative Care Org.	Beth Lown Schwartz Center
7	CARE – Consumer assessments and reports of end of life	1632	Center for gerontology and health care research	Beth Lown Schwartz Center
8	Bereaved family survey	1623	Dept. of Veterans Affairs/ Hospice and Palliative Care	Beth Lown Schwartz Center
9	Cardiovascular health screening for people with schizophrenia or bipolar disorder who are prescribed antipsychotic medications	1927	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
10	Body mass index (BMI) screening and follow-up for people with serious mental illness	2601	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center

11	Controlling high blood pressure for people with serious mental illness	2602	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
12	Diabetes care for people with serious mental illness: Hemoglobin A1c (HbA1c) testing	2603	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
13	Diabetes care for people with serious mental illness: Medical attention for nephropathy	2604	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
14	Diabetes care for people with serious mental illness: Blood pressure control (<140/90 mm Hg)	2606	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
15	Diabetes care for people with serious mental illness: Hemoglobin A1c (HbA1c) poor control (>9.0%)	2607	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
16	Diabetes care for people with serious mental illness: Hemoglobin A1c (HbA1c) control (<8.0%)	2608	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
17	Diabetes care for people with serious mental illness: Eye exam	2609	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
18	Tobacco use screening and follow-up for people with serious mental illness or alcohol or other drug dependence	2600	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
19	Alcohol screening and follow-up for people with serious mental illness	2599	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center

20	CAC-3: Home management plan of care (HMPC) document given to patient/caregiver		Joint Commission	Yael Miller Massachusetts Medical Society
21	Diabetes screening for people with schizophrenia or bipolar disorder who are using antipsychotic medications (SSD)	1932	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
22	Cardiovascular monitoring for people with cardiovascular disease and schizophrenia (SMC)	1933	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center
23	Diabetes monitoring for people with diabetes and schizophrenia (SMD)	1934	NCQA	Brigitta Spaeth-Rublee Columbia University Medical Center

 Measures highlighted green are in the SQMS